



Veranda Sun Blinds

Award-winning total concept



VZ080-ZIP

INSTALLATION
Front of the window

PERFECT FOR
Sun Facing Structures

With VZ080-ZIP blinds, you get the most from your veranda, skylight or rooflight. With this example of timeless design, you can enjoy precisely the right level of shade. It will never get too hot. After all, the ingenious design means you can block out the sun entirely.

Unique features

Ultra-compact,
fully closed box

One system,
endless options

Sleek &
Minimalistic


Zero Gap
Fabric Edge

Ultra-taut
fabric finish

Low
Maintenance

✔ *Super-compact box for 3.5 m drop*

✔ *Perfect blackout*



Dimensions


Max. Width
3 m (1 section) | 10 m (4 sections)

Max. Drop
3.5 m

Max. Area
10.5 m² (1 section) | 35 m² (4 sections)



Bottom-up




Top-down




Lateral




Built-on



Interior Sun Protection



Built-in



35 m²

VZ800-ZIP

INSTALLATION
Front of the window

PERFECT FOR
Large Glass Roofs

The VZ800-ZIP is the second member of our award-winning VZ range. This veranda sun blind is ideal for large expanses of glass and rates highly on comfort, design, security and energy savings. It is a sleek, slimline, and highperformance blind!

Unique features

Dimmable LED lighting option

Covers large glass expanses

Sleek & Minimalistic

Zero Gap Fabric Edge

Ultra-taut fabric finish

Low Maintenance

- ✓ *Ultra-compact box*
- ✓ *Perfect blackout possible*



Dimensions

Max. Width
6 m (1 section) | 16 m (4 sections)

Max. Drop
6 m

Max. Area
25 m² (1 section) | 96 m² (4 sections)

Total Blackout Guaranteed

(Also available in VZ080-ZIP)

Blume Sun Blinds



✓ No light ingress because fabric edge is completely enclosed


Common Sun Blinds




✗ Light ingress through opening between guide rails and fabric



Technical Details



VZ080-ZIP



VZ800-ZIP

DIMENSIONS

Max. width in 1 section	3 m	6 m
Max. width coupled (4 sections)	10 m	16 m
Max. drop	3.5 m	6 m
Max. area in 1 section	10.5 m ²	25 m ²
Max. area coupled (4 sections)	35 m ²	96 m ²

OPERATION

IO	Standard	Standard
RTS	Optional	Optional
WT	Optional	Optional
2 motors	Width > 5 m	Width > 8 m

SUSTAINABILITY

Fully closed box	✓	✓
Taut fabrics	Fabric tensioning system and ZIP system	Fabric tensioning system and ZIP system
A total blackout is possible	✓	✓